



E one


Electric ©
Design
Fireplaces

SUPPLEMENT BIG BOOK

Kalfire E-one (a)
electric design fireplaces
product range



GLASS SIZES



zero emission. endless possibilities



LOG RETAINER

The Kalfire E-one 130C and 130S come standard with a steel trim (log retainer) around the combustion chamber.



Through HD Flame Technology, flames are projected onto the ceramic logs. There is a choice of single (Single HD) or double (Dual HD) flame projection.



ATMOS HEATING

Atmos Heating provides a pleasant atmospheric warmth that contributes to an optimal fire experience. Available as an option for all built-in models



Dual HD Flame

Technology

HYBRID LED E

The Hybrid LED E ember bed simulates a real glowing bed of a fire by means of advanced and energy efficient LEDs.


BOTTOM PLATES



Technology

GLASS

The Kalfire E-one 130 series comes with smoked glass.



Flat bottom plate

Realistic ceramic logs that are undistinguishable from real wood logs.



fireplace a sleek appearance. Alternatively, Kalfire's design bottom plate can be chosen.



Cornerstones: electric design fireplaces

INDIVIDUALITY



Create your own fire

Thanks to innovative techniques, a flame image can be created that suits the individual taste and mood of the user. Using the remote control, the flame height, flame dunamics and colour of the flames can be adjusted, as well as the intensity of the ember bed and

the ambient light. In addition to these visual settings, the sound (tupe and volume) can also be adjusted to taste.

Options

The different options (page 10) complete the possibilities to create your own fire.



Flame options



ATMOS HEATING

Atmos Heating is a unique heat element, specially developed for the E-one. The element delivers a pleasant heat at an angle of 45 degrees, so that the heat is distributed evenly throughout the room. Available as an option on the Kalfire E-one built-in models.



FLAME TONES

Choice of three flame colours and the ability to customize the intensity of the



FIRE INTENSITY

The Fire Intensity feature allows you to adjust the brightness of the Kalfire E-one flames to match the ambient light of the room.



ADJUSTABLE FLAME HEIGHT

The flame height is adjustable from positions 1 to 5. The 6th position is the Flame Shuffle mode. In Flame Shuffle mode, dynamic flames are created at the touch of a button.



ATMOS LIGHTING

HYBRID LED E

Atmos Lighting projects a shadow effect on the logs. It enhances the real experience of fire. The intensity is adjustable from positions 1 to 5. Setting 6 is the shuffle setting.

Atmos Lighting projects true shadow effects on the wood-effect ceramic logs,

enhancing the ultra-realistic fire experience. The intensity is adjustable from









positions 1 to 5. The 6th position is the Atmos Lighting Shuffle mode.





ANTI-REFLECT FUNCTION

In the Anti-Reflect stand-by function, the interior of the fireplace is attractively illuminated. This guarantees a beautiful view of the logs, even when the fireplace is not burning.



Cornerstones Kalfire E-one

EXPERIENCE



EASE OF USE



The Kalfire E-one stimulates the senses. The flickering of light, the glowing logs and coal, the floating sparks and the plaufulness of the flames. The sound of crackling wood. A feeling of warmth radiating from the flames. The unique features of Kalfire's E-one provide a realistic atmosphere





Endless Possibilities



in and around the fireplace. See

Optionally, the fireplace can be







EXPERTISE





Kalfire stands for craftsmanship. The Kalfire E-one has been fully

Quality and Warranty



designed and developed in the Netherlands, and is also manufactured

entirely on Dutch soil. We stand behind the quality of our products

and, therefore the warranty period on our electric fire is five years or

up to 10,000 burning hours. For the Atmos Heating function of your

Atmos Heating is exclusively available for the built-in

models of the Kalfire E-one.

The heating element has been

specially developed by Kalfire

pleasant heat output in your

element gives a constant flow

home. The Atmos Heating

of warm air at an angle of

45 degrees, and provides an optimal heating experience that is unique to an electric

No fire experience is complete

without the soothing sound of burning wood. Kalfire Sound offers the user a choice of two different sounds: crackling Pinewood or the sound of much quieter burning Beechwood. In addition, the volume can be adjusted as desired.

to create a natural and

Feel

fireplace.

Hear



Maintenance



The E-one is fully electric, does not use fossil fuels and has zero emissions. The Kalfire E-one therefore sets a trend in the field of innovation, sustainability and efficiency. Low energy consumption

The energy consumption of the E-one is low: at around 110 Watts*, the fireplace is particularly efficient in use. This is friendly for the home and for the environment.





need for annual flue or chimney maintenance. And it does not have a reservoir for fluids that



Simple operation

needs to be refilled regularly,

as with a bioethanol fire or an

or a connection to a supply,

electric vapor fireplace.












operation. Thanks to the Live Feedback, settings are projected directly onto the screen of the fireplace. This allows you to see live which functions in the fireplace are on or off and how the flames are set.



Zero emissions













 $\mathsf{0}$

Kalfire E-one 130-series





Technical information

Energy consumption per operation mode		
	Stand-by mode (W)	14
	Stand-by mode,	
	incl. Anti-Reflect Function (W)	17
	Full operating mode*,	
	Single HD Flame technology,	
	excl. Atmos Heating (W)	56
	Full operating mode*,	
	Dual HD Flame technology,	
	excl. Atmos Heating (W)	101
	Full operating mode*,	
	Dual HD Flame technology,	
	incl. Atmos Heating (W)	207

* full operating mode: hybrid LED E, Kalfire Sound, Flame Tones, Flame Height, Atmos Lighting and Anti-Reflect Function at the highest level.

12



Front, Corner left, Corner right, 3-sided

Connections

230V AC/50Hz 13 Amps

Input

220-240~50Hz

Glass sizes

Front model: 1296 x 362 mm Corner model: 1309 x 372x354 mm 3-sided model: 1320 x 372x354 mm (width x height x width side glass)

Composition, options and accessories

Standard mounting trim

Front model: 2 cm deep, 4 mm thick Corner and 3-sided model: 4 cm deep, 4 mm thick

Flame picture

Single HD Flame technology Dual HD Flame technology

Bottom plate

Flat Design

Heating

Atmos Heating (2 kW, non-adjustable)

Control

E-One remote

Accessories


Hotel switch




13

Kalfire E-one 130F

Top view



Front view




Side view


494 405.9 0

Kalfire E-one 130S


Top view



Front view




Side view




Kalfire E-one 130CL


Top view



Front view




Side view




Kalfire E-one 130CR

Top view



Front view



Side view

