




STOVES

Refractories

Refractories eboris 1300 ultra ivory







2



Symbols

PRODUCT-SPECIFIC PICTOGRAPHS

RLA, room air dependent

RLU, room air sealed, DIBt approval

Firewood

Heat storage on the side

Heat storage on top

Additions

✓ Rotable

S-USIII

S-Thermatik NEO

↑☐ Total height

Energy efficiency class

Nominal heat output NW (kW)

(L)) Output range (kW)

Water-bearing stoves (kW)

Ber

Straight

Tunnel

L-Form

U-Form

Oval

Round

CONTENT	
Introduction	4 - 9
Product overview	10 - 11
Products	12 - 61
Technical data	62 - 65
CONTE	NT


NOTE:

- Colour deviations are possible due to printing. Colour and technical changes as well as errors excepted.
- Fluctuations in the material structure and colour shading are possible with ground and lacquered steel due to the production process.



WHAT IS FASCINATING ABOUT A SPARTHERM STOVE?

- JUST AS YOU WANT IT
- PRODUCTS FOR EVERY STYLE OF LIVING
- AN INDIVIDUAL FIREPLACE EXPERIENCE, FOR A LIFETIME



LIVING STYLES - A FIRE FOR STYLE


Elegant design classics in vintage style, modern Scandinavian furniture or purist minimalism, personal furnishing styles often reveal the deepest wishes and needs. Because how the personal place of well-being is created is a very individual decision. If you manage to evoke feelings and create harmonies with furniture and decorations, you will feel comfortable in your own four walls. Then all that is needed is a fireplace to warm the soul as well. This creates a place with which stories and people connect – a home.










No wonder that more and more people appreciate this very special living feeling within their own four walls. This is why Spartherm has designed its LIVING FIRE product range with so many variants that the stoves can be freely positioned in the room and set unusual accents in the ambience. Because thanks to the innovative design ideas of the Spartherm experts, the stoves fit harmoniously into any individual furnishing concept – tasteful, exclusive and stylish.





























Round and attractive









VARIANTS

Passo XS

The small variant












5.9 kW

Passo S

The compact variant












Passo L

The high variant























Elegance and performance

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)









The Passo XS style inspires with a variety of modern colours. The handle and the base are made of real wood and give the extraordinary stove a young and urban look, just like the soft edges of the steel body. The unique, specially developed 180-degree panoramic glass skilfully sets the fire in scene.

The smart assistance functions also support the special style. The S-Thermatik NEO – electrically controlled – allows the logs in the stove to burn evenly and effectively. In addition, an electrically operated underpressure control can provide maximum safety in a smart way – that's LIVING FIRE by SPARTHERM at it's best!





SMART FIREPLACE ASSISTANCE FUNCTIONS




S-Thermatik NEO (combustion control)



S-USI II (underpressure control)









A design highlight for the home. The Passo XS tripod is a stove that rests majetically on a pedestal like a piece of furniture and unites the best of both worlds. Its three legs not only ensure the Passo XS tripod is stable, they also make it $\ensuremath{\text{a}}$ defining style element in any furnishing concept.

As safety is a top priority for all LIVING FIRE by SPART-HERM stoves, the smart-controlled underpressure control has also been developed for this model. This is how the latest innovative combustion technology meets the trendy style of the time. This unique look thus sets special accents for an extraordinary ambience.







SMART FIREPLACE ASSISTANCE FUNCTIONS



(underpressure control)













SMART FIREPLACE ASSISTANCE FUNCTIONS




S-Thermatik NEO (combustion control)




S-USI II (underpressure control) Love of corners and edges. The various models from Piko inspire thanks to a view of the flame pattern from different perspectives. The stove offers interesting views and insights from two sides, making it an eye-catching design element for open-plan living spaces.








The clean, minimalist lines define the cubic character of all variants of the impressive stove. If desired, the Piko L can also be fitted with a stylish firewood compartment to emphasise its effect. In addition to its special look, the Piko $\rm H_2O$ model impresses with another aspect compared to the other stoves in the range. Because this particular stove is equipped with a water heat exchanger. In this way – quite incidentally – hot water is also provided for the whole house. Sustainability with brains.


















SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)




S-USI II (underpressure control)





The Cubo is a stove that surprises with its special lines. Its gently rounded corners, which seem almost soft, combine harmoniously with the minimalist, modern overall design.

Whether as Cubo S in the compact version or in the tall version as Cubo L, the Cubo models can be perfectly positioned in the corner of a room with its hinged door or placed directly in front of the wall. If desired, the firewood can also be stylishly staged in a specially designed firewood compartment in the Cubo L model. Thus, this unusual stove in all its variants enriches every ambience with its discreet yet elegant appearance.









SMART FIREPLACE ASSISTANCE FUNCTIONS




S-Thermatik NEO (combustion control)



S-USI II (underpressure control)







Crafted to the highest quality, each model in the ambiente range combines stylish design and innovative combustion technology.

This provides a pleasant warmth for a great feeling. Finally, the easy operation of all elements of ambiente leaves more time to enjoy the fireplace.







SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)

COLOURS Nero Titanium White Light grey Turquoise Metallic Magnolia Nickel auburn Soapstone Limestone Porto Blanco Grigio Satined granite Augusta nero lesina Natura





ambiente a7 Perfect in front of your wall



(**(**) 4.5 - 7.7 kW



5.9 kW

ambiente a8 Free in space

↑ 1190 mm

((L)) 4.5 - 7.7 kW

5.9 kV

ambiente a9 Compact and smart

↑ 1147 mm

((**L**)) 4.5 - 7.7 kW

Ĭ≣ A

5.9 kW











ambiente

A round highlight for the ambience








SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)



With its tall, slender form, this ambiente fascinates every observer. Because the tasteful, round design of the body is impressively different from many classically designed stoves. The pattern of flames can be enjoyed in a relaxed manner through the large, rounded panoramic glass.

With technical refinements, the ambiente a4 H_20 with its innovative water heat exchanger is particularly impressive, in addition to the tall and compact variant. The fire in the stove also heats the water for the entire house.

COLOURS



White

Magnolia



Titanium

Light grey

Nickel









Metallic auburn

VARIANTS

ambiente a3

The compact variant

1468 mm





ambiente a4

The high variant


↑ 1674 mm





ambiente a4 H₂0 With water heat exchanger

1674 mm

























A fire that fascinates from every angle. The Lungo from LIVING FIRE by SPARTHERM presents an impressive pattern of flames with its unique clear, seamless design that delights from several perspectives. For example, this stove can elegantly connect two rooms with a special fire experience.

The Lungo stove can be used to set individual accents in any ambience. Thus, not only the door opening of the stove with the handle to the left or right can be selected for optimal architectural integration, but also the exclusively created colours for the surfaces. Whether ceramic crater riverwashed, pearl, turquoise, nickel or magnolia, the Lungo can be adapted to personal taste in a variety of different colours - for an appearance with a strong presence..


SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)



COLOURS



White

Magnolia









Turquoise











Light grey

Ceramic concrete riverwashed

Lungo 2L | Lungo 2R also available in the Black Edition. See page 64-65

VARIANTS

Lungo 2L | Lungo 2R A strong presence



↑ 1628 mm

















Senso

Experience with all senses



The flames flicker and let the wood crackle – the Senso stove impresses with its generously curved panoramic glass and its harmonious design, which can be adapted to the personal ambience through a wide range of available colours. The oval and balanced shape of the Senso allows a perfect equilibrium between slim appearance and space for a high blazing fire.





stainless

steel



For those who want to act sustainably, the Senso M $\rm H_2O$ is a stove that impresses with its extraordinary design as well as with technical innovations for the benefit of the environment. This is because the Senso M $\rm H_2O$ has a water heat exchanger that automatically heats water for the house while the fire is burning, saving resources.

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)

VARIANTS

Senso S

The compact variant









Senso M H₂0

With water heat exchanger









Senso L

The high variant



























SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)

COLOURS



Nero / concrete

With its special look, the Senso L fashion inspires at first sight. Because the concrete cover panels shape its extravagant appearance in a unique way. The extraordinarily designed stove with its large panoramic glass becomes a style object for every modern ambience.

The Senso L fashion can also be equipped with smart fireplace assistance functions of particularly high quality. The electric S-Thermatik NEO, for example, enables the wood to burn efficiently and a underpressure control ensures even more safety – for a relaxed fire experience.






Senso L klassik

Timeless in classic form





SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)

COLOURS



Nero / Limestone Porto Blanco

VARIANT

Senso L klassik

A modern design with a classic inspiration



1326 mm



((L)) 4.9 - 9.1 kW





7.0 kW










SEO

Smart and twisted







SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control) Anyone looking for the perfect symbiosis of a straightforward, clear design with the latest technology will find the answer in SEO. Because the stove surprises with numerous refinements. In the SEO S variant, for example, the entire combustion chamber can even be rotated as desired. This changes the view of the flame patterns and creates unique fire moments. The digital control of the SEO creates safety, comfort and the possibility to connect the innovative stove with a smart home - paving the way to a safe future.




VARIANTS

SEO S

With rotating combustion chamber












SEO L

With side window









SEO S leva

With manual controls









SEO L leva

With manual controls



1393 mm






















The flame experience is the star of the Linear Module. Because with the stove's all-black design, the fire pattern is perfectly and compactly staged by the Linear Module XS even in small rooms. On the other hand, anyone who appreciate a large combustion chamber will find the Linear Module M the perfect companion on cool winter evenings.

The various models of the stove are accompanied by a shapely bench that not only supports the combustion chamber but also provides space for the wood supply – for pure fire enjoyment.





SMART FIREPLACE ASSISTANCE FUNCTIONS





COLOUR







Sento

Variety in XXL







SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)

The Sento stove impresses with a fire experience in an extra-wide format. Because the flickering flames can be observed through a particularly large panoramic glass.

To ensure that the Sento blends harmoniously into the ambience, it can be individualised into the personal dream stove with 54 varying surface colours and materials – from pearl white to metallic rust brown to a delicate magnolia shade. Sento fascinates with its unmistakable look.







Sento













COLOURS FRONT CLADDING





Light grey



Soapstone







Sahara



Turquoise

sandstone





VARIANT

Sento



Fire in a cinema format

4.6 - 8.5 kW

6.5 kW

1315 mm









SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)

COLOURS



Nero / soapstone



Nero / Sahara sandstone



Nero / Limestone Porto Blanco The different natural stone cover panels radiate a warm and calming effect. In this way, their discreet appearance blends harmoniously into the style world of the respective interior concept. In addition to the natural stones with their unique grain, a warming plate for the tea set and the spacious firewood compartment create a relaxing atmosphere to feel good and lean back.








Sino L

Natural and well thought out



In the classic compact Sino L, what's on the inside is just as important as what's on the outside. Because its handle is integrated and only shows itself when it is desired. If you want to keep an eye on your fire at all times, you can bring the Sino L into the desired position with just a slight turn.





SMART FIREPLACE ASSISTANCE FUNCTIONS





S-Thermatik NEO (combustion control)



S-USI II (underpressure control)











The Moro stove is covered in a stylish grey soapstone or in Sahara sandstone with arosé effect. In this way, the natural stones create a unique design shaped by nature and an incomparable room atmosphere. Because the stored heat is released evenly and gently into the environment. The two integrated compartments keep the tea or coffee warm on cold winter days and the wood dry for a roaring fire.

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO (combustion control)



S-USI II (underpressure control)

COLOURS





Nero / Soapstone

Nero / Sahara sandstone



H₂O

AN ADVANTAGE FOR THE ENVIRONMENT: STOVES FOR HOT WATER PRODUCTION



USE HEAT SEVERAL TIMES

Sustainable action. Heat can be generated by burning wood. This is considered a CO₂-neutral alternative to oil or gas-fired heating. So what would make more sense than to use ultra-modern technology to make the most sustainable use possible of the residual heat in the exhaust gas? This means that the innovative stoves from LIVING FIRE by SPARTHERM can also be used to heat water. The water heated via the stove is buffered in a hot water tank and can then be made available to the underfloor heating, for example. In this way, not only is an efficient heating system with high heat output created, but at the same time hot water can also be obtained for the household - sustainably and ecologically.

Water-conducting stoves deliver impressive values:

- 25-80% water heat content
- 78–86% firing efficiency
- CO₂-neutral



BLACK EDITION

SPARTHERM BLACK EDITION CUSTOMISED DESIGN IN INDUSTRIAL STYLE

Powerful and striking. The varied black tones shimmer in the light of the blazing fireplace and magically attract the eye. This is how the Black Edition from Spartherm creates special accents in the trendy "Industrial Style".









The special models, painted entirely in black, fascinate with their puristic shapes and thus advance to become a design highlight in every room. In five variants, the Black Edition convinces with the highest quality and a unique look.

More Lungo you get here









Linear Module XS Linear Module M

Linear Module

Stoves		Мос	del	Sento	Linear Module XS	Linear Module M	ambiente a7	ambiente a9	SEO S	SEO S leva	SEO L
		optio	nal	RLU					RLU	RLU	RLU
	Energy efficie	ency class		A+	A+	A+	A+	A+	А	A+	А
	Nominal heat	output	kW	6.5	4.0	6.9	5.9	5.9	5.1	5.1	5.5
	Output range		kW	4.6 - 8.5	4.0 - 5.2	4.8 - 9.0	4.5 - 7.7	4.5 - 7.7	4.5 - 6.6	4.5 - 6.6	4.5 - 7.2
	Efficiency		%	> 80	> 80	> 80	> 80	> 80	80	> 80	80
	Output ratio	air / H ₂ O	%	-	-	-	-	-	-	-	-
stics	Output ratio	air / H ₂ O	kW	-	-	-	-	-	-	-	-
Characteristics		Convenient approx.		186	88	> 186	144	144	124	124	144
Char	Room heating	Less convenient approx.	m³	107	53	107	84	84	73	73	84
	capacity	Inconvenient approx.		73	34	73	56	56	48	48	56
	Flue gas mas	s flow	g/s	6	3.8	5	5.1	5.2	5.2	5.1	6
	Flue gas temp (on flue gas c		°C	301	252	370	318	327	309	284	283
		y pressure at nominal	Pa	12	12	12	12	12	12	12	12
		air requirement	m³/h	19.7	11.8	16.7	17.8	22.4	16.3	16.7	19
	Steel		kg	220	≥ 56	≥ 90	200	170	240	240	225
	Lateral heat storage elements L/R		kg	-	-	-	80 110 140 2	-	-	-	-
Weights	Natural stone		kg	-	-	-	250-300	300	-	-	-
≥	Ceramics		kg	-	-	-	-	-	-	-	-
	Heat storage	Heat storage on top		-	-	-	20 30 35 2	-	-	-	-
	Total height		mm	1315	≥ 525	≥ 612	1190	1147	1393	1393	1393
	Total width	Total width		600	≥ 400	≥ 716	583	≥ 483	444	444	444
	Total depth	Total depth		451	350	450	468	464	352	352	352
	Door height	Door height		434	456	503	706	706	482	482	482
တ္	Door width		mm	590	348	614	439	437	346	346	346
Measurements	Flue pipe diar	meter Ø	mm	150	130	150	150	150	150	150	150
easure		r edge of adjustable foot dge of top flue spigot	mm	1295	≥ 548	≥ 615	1168	1114	1427	1427	1400
ž	② From lower	r edge of adjustable foot	mm	1065	-	≥ 489	980	980	1290	1290	1290
	to middle of rear flue spigot Supply air inlets Ø		mm	100	-	150	100	100	100	100	100
		iddle of supply air inlet n the floor behind the unit	mm	-	-	≥ 268	205	138	131	131	131
	Distance from measured to t	middle of supply air inlet he floor in front of the unit	mm	336	-	-	234	333	170	170	170
	Connecting p	ipe outlet top		✓	✓	✓	✓	✓	✓	✓	✓
	Connecting p	ipe outlet back		✓	-	✓	✓	✓	✓	✓	✓
Options	Ash pan	Ash pan		-	-	_	-	_	✓	✓	✓
Opt	Rotatability			-	-	-	-	-	✓	✓	-
	Heat storage			-	-	-	✓	✓	-	-	-
	Separate combustion air			-	-	-	✓	✓	✓	✓	✓
	Door mechan	nism		Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door
	DIN EN 1324	0		✓	✓	✓	✓	✓	✓	✓	√
/als	2. BlmSchV 2	010		✓	✓	✓	✓	✓	✓	✓	✓
Certificates Approvals		Aachener/Münchener/ Regensburger regulation		✓	✓	✓	✓	✓	✓	✓	✓
cates	DIBt room air	sealed operation		✓	-	-	-	-	✓	-	✓
ertific	DIBt approva			Z43.12-464	-	-	-	-	Z-43.12-456	Z-43.12-456	Z-43.12-456
	Art. 15 a B-V			✓	✓	✓	✓	✓	✓	✓	✓
	Ecodesign 2022			✓	✓	✓	✓	✓	✓	✓	✓

						D' I	D'. 1		I	l	
SEO L leva	ambiente a8	Lungo	Piko S steel	Piko S	Piko L	Piko L with narrow wood store	Piko L with wide wood store	Piko H ₂ O	Cubo S	Cubo L	Cubo L with narrow wood store
RLU		2L / 2R		RLU	RLU	RLU	RLU		RLU	RLU	RLU
A+	A+	A+	A+	A+	A+	A+	A+	A+	A+	A+	A+
5.1	5.9	6.0	5.9	5.9	5.9	5.9	5.9	7.9	5.9	5.9	5.9
4.5 - 6.6	4.5 - 7.7	4.5 - 7.8	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	5.5 - 10.3	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7
> 80	> 80	80	> 80	> 80	> 80	> 80	> 80	> 80	> 80	> 80	> 80
-	-	-	-	-	-	-	-	43 / 58	-	-	-
-	-	-	-	-	-	-	-	3.3 / 4.6	-	-	-
124	144	165	144	144	144	144	144	56	144	144	144
73	84	95	84	84	84	84	84	35	84	84	84
48	56	65	56	56	56	56	56	22	56	56	56
4	5.6	7.3	4.9	4.9	4.9	4.9	4.9	8.6	4.9	4.9	4.9
310	300	254	325	325	325	325	325	215	325	325	325
12	12	11	12	12	12	12	12	12	12	12	12
13.5	20.6	25.2	15.4	15.4	15.4	15.4	15.4	30.5	15.4	15.4	15.4
225	200	195	≥ 205	160	175	295	325	240	165	180	300
-	80 110 140 2	-	-	-	-	-	-	-	-	-	-
-	250-300	-	-	-	-	-	-	-	-	-	-
-	-	202	-	-	-	-	-	-	-	-	-
-	20 30 35 2	↑ 24 → 21	-	-	↑ 50 → 63	↑ 50 → 63	↑ 50 → 63	-	-	↑ 50 → 63	↑ 50 → 63
1393	1190	1628	1160	1156	1436	1436	1436	1500	1156	1436	1436
444	583	631	405	406	406	666	819	500	406	406	666
352	468	421	405	406	406	406	406	500	406	406	406
482	706	479	572	572	572	572	572	478	572	572	572
346	437	500 / 291	335 / 335	335 / 335	335 / 335	335 / 335	335 / 335	418 / 418	335 / 335	335 / 335	335 / 335
150	150	150	150	150	150	150	150	150	150	150	150
1400	1168	1325	1132	1130	1270	1270	1270	1527	1130	1270	1270
1290	-	1466	975	973	1113	1113	1113	1386	973	1113	1113
100	100	100	100	100	100	100	100	100	100	100	100
131	-	128	134	126	126	126	126	148	126	126	126
170	234	233	202	202	202	202	202	278	202	202	202
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
_	-	-	-	-	-	-	-	-	-	-	-
-	✓	✓	-	-	1	1	1	-	-	1	✓
✓	✓	✓	✓	1	1	1	1	1	1	1	✓
Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	-	-	_	✓	✓	✓	✓	_	✓	✓	✓
Z-43.12-456	-	-	-	Z-43.12-320	Z-43.12-320	Z-43.12-320	Z-43.12-320	-	Z-43.12-320	Z-43.12-320	Z-43.12-320
/	√	√	√	✓ /	✓ ✓	√	√	√	√	√	√
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

63 64

Cubo L with wide	Cubo L style	Senso S	Senso MH ₂ O	Senso L	Senso L klassik	Senso L fashion	Sino L	Sino City	Moro	ambiente a3	ambiente a4
wood store	RLU			RLU	RLU	RLU		RLU	RLU	RLU	RLU
A+	A+	A+	A+	A+	A+	A+	А	A+	A+	A+	A+
5.9	5.9	7.0	7.9	7.0	7.0	7.0	7.0	5.0	5.0	5.9	5.9
4.5 - 7.7	4.5 - 7.7	4.9 - 9.1	5.5 - 10.3	4.9 - 9.1	4.9 - 9.1	4.9 - 9.1	4.9 - 9.1	4.5 - 6.5	4.5 - 6.5	4.5 - 7.7	4.5 - 7.7
> 80	> 80	> 80	> 85	80	80	80	> 78	> 80	> 80	80	80
_	-	-	37 / 63	-	-	-	-	-	-	-	-
-	-	-	2.9 / 5.0	-	-	-	-	-	-	-	-
144	144	> 186	56	> 186	> 186	> 186	> 186	124	124	144	144
84	84	120	35	120	120	120	120	73	73	84	84
56	56	82	22	82	82	82	82	48	48	56	56
4.9	4.9	6.1	6.2	6.7	6.7	6.7	6.3	4.4	3.9	5.1	5.1
325	325	326	250	317	317	317	330	335	337	350	350
12	12	12	12	12	12	12	12	12	11	12	12
15.4	15.4	22.1	21.7	22.2	22.2	22.2	21.4	14.2	12.5	17.5	17.5
330	180	120	180	165	-	-	-	-	-	180	204
_	_	28	-	36	-	-	_	-	_	-	_
-	-	122 / 165	250	233	240	210	227 / 260	210 / 245	240 / 280	-	_
-	-	-	-	-	_	_	_	_	_	-	_
↑ 50 → 63	↑ 50 → 63	-	-	↑ 45 > 45	-	-	_	-	_	40	↑ 124 → 114
1436	1466	1096	1309	1353	1326	1286	1270	1270	1297	1468	1674
819	406	511	567	568	568	570	590	592	593	Ø 539	Ø 539
406	406	420	491	480	480	482	505	504	496	Ø 539	Ø 539
572	572	654	706	706	706	706	746	683	633	605	605
335 / 335	335 / 335	390	467	467	467	467	467	467	547	462	462
150	150	150	150	150	150	150	150	150	150	150	150
1270	1290	1087	1328	1300	1300	1300	1255	1255	1261	1326	1300
1113	1143	916	1161	1137	1137	1137	1091	1091	1070	1145	1551
100	100	100	100	100	100	100	100	100	100	100	100
126	156	158	276	272	272	272	271	110	97	115	114
202	202	204	208	305	305	306	-	370	346	269	269
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
-	-	-	-	√/-	-	-	✓	-	-	√/-	√/-
✓	-	✓	✓	✓	1	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	1	✓	✓	✓	✓	1	✓
Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door
✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓
✓	✓	✓	✓	✓	√	✓	✓	✓	✓	√	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓
Z-43.12-320	Z-43.12-320	-	-	Z-43.12-397	Z-43.12-397	Z-43.12-397	-	Z-43.12-397	Z-43.12-397	Z-43.12-244	Z-43.12-244
✓	✓	✓	✓	✓	✓	✓	_	-	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ambiente a4 H ₂ O	Passo XS	Passo XS style	Passo XS tripod	Passo S	Passo L	
RLU	RLU	RLU		RLU	RLU	
A+	A+	A+	A+	A+	A+	
8.0	5.9	5.9	5.9	6.1	6.1	
5.6 - 10.4	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	4.5 - 7.9	4.5 - 7.9	
> 85	> 80	> 80	> 80	80	80	
35 / 65	-	-	-	-	-	
2.8 / 5.2	-	-	-	-	-	
43	144	144	144	165	165	
27	84	84	84	95	95	
16	56	56	56	65	65	
7.6	6.08	6.08	6.08	5.8	5.8	
150	291	291	291	312	312	
12	12	12	12	12	12	
26.1	21.3	21.3	21.3	18.6	18.6	
230	125	130	130	160	165	
-	-	-	-	-	-	
-	-	-	-	-	-	
-	-	-	-	-	-	
-	-	-	-	-	↑ 60 → 60	
1674	1142	1220	1236	1436	1636	
Ø 539	Ø 452	Ø 452	Ø 452	Ø 481	Ø 481	
Ø 539	Ø 452	Ø 452	Ø 474	Ø 481	Ø 481	
605	539	539	539	540	540	
462	448	448	448	481	481	
150	150	150	150	150	150	
1694	1136	1235	1235	1298	1398	
1551	958	1013	1053	1147	1247	
100	100	100	-	100	100	
291	171	225	-	142	242	
207	226	226	-	241	241	
✓	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	
-	√/-	-	-	√/-	√/-	
-	-	-	-	-	✓	
✓	✓	✓	✓	✓	✓	
Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	
√	✓	✓	✓	✓	✓	
√	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	
✓	√	✓	-	√	✓	
7-43.12-244	Z-43.12-364	Z-43.12-364	-	Z-43.12-397	Z-43.12-397	
✓	-	-	-	✓	✓	
✓	✓	✓	✓	✓	✓	

62

↑ Top → Lateral

² Steel/ Sahara sandstone / Soapstone

Connecting height of flue pipe, top
 Connecting height of flue pipe, rear





Sino City



Moro

Moro



DESIGN YOUR PERSONAL FIRE MOMENT.

PRODUCT CONSULTANT

WHICH FIRE GOES BEST WITH YOUR LIFE?

Find the stove that precisely meets your requirements in just a few steps!



www.spartherm.com

PRODUCT RANGE SPARTHERM


























SPARTHERM® – The fire of your life.



SPECIALIST DEALER



www.facebook.com/Spartherm

www.instagram.com/spartherm

www.youtube.com/sparthermgermany

www.spartherm.com

