

PRICE LIST VALID FROM 1ST JANUARY 2022


ALL PRICES ARE EX-WORKS EXCLUDING VAT



THE PERTINGER CONFIGURATOR

CREATE OFFERS YOURSELF

Register as a reseller and use our online configurator to quickly and easily create an offer for your customer based on his or her wishes and ideas from your own computer, tablet or smartphone. You can then generate an order from the offer you have created.





Calculate your stove online at pertinger.com

PRICE LIST*

VALID FROM 1ST JANUARY 2022

ALL PRICES ARE EX-WORKS EXCLUDING VAT

INDEX

| 4 | ÖKOALPIN | WITHOLIT | $\bigcirc \$ |
|---|----------|----------|--------------|
| 4 | UNUALFIN | | OVEIN |

- 5 ÖKOALPIN WITH OVEN AT THE BOTTOM
- 6 ÖKOALPIN WITH LATERAL OVEN
- 8 VINTAGE KITCHEN STOVES
- 9 PELLET STOVES
- **10** PELLET HEATING STOVES
- **10** ACCESSORIES PELLET STOVES
- **11** HEATING STOVES
- **12 HEATING STOVES PLUS**
- **13** REVERSE FLAME HEATING STOVES
- **14** HEATING STOVES ACCESSORIES
- **15** PREFABRICATED STOVES
- 17 ACCESSORIES FOR PREFABRICATED STOVES
- 19 CUSTOMIZATIONS AND ACCESSORIES
- 25 WORKTOP CLOSURE PANELS AND SPACER STRIPS
- **26** OPTIONALS
- **27** PROFESSIONAL STOVES
- **28 CABINETS**
- **33** TAILOR-MADE STOVES
- **34** COMPONENTS FOR STOVES
- **35** EXTRACTOR HOODS
- **38** OVENS
- **38** HOBS
- 40 FLUE PIPES 2MM, MALE END
- **42** FLUE PIPES FOR PELLET STOVES
- **43** CLEANING AND MAINTENANCE PRODUCTS
- **46** GENERAL TERMS AND CONDITIONS
- 47 VARIATIONS

^{*} Pertinger srl reserves the right to make any changes to the price list without notice.

Subject to errors and misprints. This price list replaces all previous price lists and is valid until revoked.

OKOALPIN

WITHOUT OVEN

- High efficiency combustion chamber
- Connection for external air intake
- Satin-finished steel or glass-ceramic
- AIR SYSTEM fire protection

- Side panels in stainless steel, powder-coated (standard colours) or plastered Front railing
- Height-adjustable from 850 910 mm
- Self-closing drawer with integrated baseboard



50 Ökoalpin Device measurements(W x D x H) • 500 x 600 x 850-910 mm · Nominal heating output 6,0 kW 2.870,00 € 3.180,00 € Dekor Panorama 3.215,00 €



| 60 Ökoalpin | | |
|--|---|----------|
| Device measurements(W x D x H)Nominal heating power | 600 x 600 x 850-910 mm6,0 kW | |
| Trend | 3. | 025,00 € |
| Dekor | 3. | 335,00 € |
| Panorama | 3. | 370,00 € |

KOALPIN

WITH OVEN AT THE BOTTOM

- High efficiency combustion chamber
- Connection for external air intake
- Oven with double-pane glass door and internal light
- Baking tray and grid telescopic pull-out
- Satin-finished steel or glass-ceramic hob
- · Fire door with triple self-cleaning glass

- · AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-adjustable from850 910 mm
- Self-closing drawer with integrated baseboard (not BU XL)



60BU Ökoalpin

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 600 x 600 x 850-910 mm
- 8,0 kW
- 345 x 420 x 160 mm

3.650,00 € Panorama



60BU XL Ökoalpin

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 600 x 600 x 850-910 mm
- 8.0 kW
- 345 x 420 x 250 mm

3.650,00 € Panorama



70BU Ökoalpin

- Device measurements (W x D x H) 700 x 600 x 850-910 mm
- Nominal heating output
- Oven measurements (W x D x H)
- 8,0 kW
- 445 x 420 x 160 mm

3.875,00 € Panorama



70BU XL Ökoalpin

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 700 x 600 x 850-910 mm
 - 8,0 kW
 - 445 x 420 x 250 mm

Panorama 3.875,00 €

Accessories Ökoalpin with oven at the bottom

Pelletbox, capacity ca. 5,5 kg, nominal heating output 10 kW

550,00€

ÖKOALPIN

WITH LATERAL OVEN

- High efficiency combustion chamber
- · Connection for external air intake
- Oven on right or left side
- Oven with double-pane glass door, incl. baking tray and grid
- · Satin-finished steel or glass-ceramic hob

- · AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-adjustable from850 910 mm
- · Self-closing drawer with integrated baseboard



70 Ökoalpin

- Device measurements(W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 700 x 600 x 850-910 mm
- 7,0 kW
- 260 x 420 x 265 mm

| Trend | 3.660,00 € |
|----------|------------|
| Dekor | 3.970,00 € |
| Panorama | 4.005,00 € |
| | |



70+5 Ökoalpin

- Device measurements(W x D x H)
- · Nominal heating output
- Oven measurements (W x D x H)
- 750 x 600 x 850-910 mm
- 7,0 kW
- 300 x 420 x 265 mm

| Trend | 3.740,00 € |
|----------|------------|
| Dekor | 4.050,00 € |
| Panorama | 4.090,00 € |



80 Ökoaplin

- Device measurements(W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 800 x 600 x 850-910 mm
- 8,0 kW
- 300 x 420 x 265 mm

| Trend | 3.820,00 € |
|----------|------------|
| Dekor | 4.130,00 € |
| Panorama | 4.170,00 € |



90 Ökoalpin

- Device measurements(W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 900 x 600 x 850-910 mm
- 8,0 kW
- 345 x 420 x 265 mm

| Trend | 3.965,00 € |
|----------|------------|
| Dekor | 4.275,00 € |
| Panorama | 4.315,00 € |

OKOALPIN

- WITH LATERAL OVEN
- · High efficiency combustion chamber Connection for external air intake
- Oven on right or left side
- Oven with double-pane glass door, incl. baking tray and grid Satin-finished steel or glass-ceramic hob

- AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-adjustable from850 910 mm
- Self-closing drawer with integrated baseboard



100 Ökoalpin

- Device measurements(W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.000 x 600 x 850-910 mm
- 8,0 kW
- 445 x 420 x 265 mm



| Trend | 4.125,00 € |
|----------|------------|
| Dekor | 4.435,00 € |
| Panorama | 4.475,00 € |

110 Ökoalpin

- Device measurements(W x D x H)
- Nominal heating output
- 1.100 x 600 x 850-910 mm
- 8,0 kW 545 x 420 x 265 mm

| Oven measurements (W X D X H) | • 545 x 420 x 265 mm |
|-------------------------------|----------------------|
| Trend | 4.305,00 € |
| Dekor | 4.615,00 € |
| Panorama | 4.655,00 € |

VINTAGE

- · High efficiency combustion chamber
- Connection for external air intake
- Oven on right or left side incl. baking tray and grid
- Front, left and right railing
- Satin-finished steel hob with rings



80 Vintage

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 800 x 640 x 850 mm
 - 8,0 kW
 - 260 x 420 x 265 mm

4.405,00 €



90 Vintage

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 900 x 640 x 850 mm8,0 kW
- 300 x 420 x 265 mm

4.570,00 €



100 Vintage

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.000 x 640 x 850 mm8,0 kW
- 400 x 420 x 265 mm

4.735,00 €



110 Vintage

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.100 x 640 x 850 mm
- 8,0 kW
- 500 x 420 x 265 mm

4.895,00 €

PELLET STOVES

- · Connection for external air intake
- · Oven on right side (device with oven)
- Oven with double-pane glass door and internal light (device with oven)
- Baking tray and grid telescopic pull-out (device with oven)
- Fire door with double self-cleaning glass

- · Satin-finished hob
- · AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-adjustable from850 910 mm



60 Pellet

- Device measurements (W x D x H)
- Nominal heating power
- Capacity

- 600 x 600 x 850-910 mm
- 6,7 kW
- 20 kg

Panorama 5.190,00 €



90 Pellet

- Device measurements (W x D x H)
- · Nominal heating power
- Oven measurements (W x D x H)
- Capacity

- 900 x 600 x 850-910 mm
- 9,0 kW
- 345 x 420 x 265 mm
- 24 kg

Panorama 6.860,00 €

HEATING STOVES

- Connection for external air intake
- Oven on right side (device with oven)
- Oven with double-pane glass door and internal light (device with oven)
- · Fire door with double self-cleaning glass

- Satin-finished hob
- AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-adjustable from 850 910 mm



60 Pellet Hydro

- Device measurements (W x D x H)
- Nominal heating power
- Capacity

- 600 x 600 x 850-910 mm
- 13,2 kW
- 20 kg

Panorama 5.980,00 €



90 Pellet Hydro

- Device measurements (W x D x H)
- Nominal heating power
- Oven measurements (W x D x H)
- Capacity

- 900 x 600 x 850-910 mm
- 10,7 kW
- 345 x 420 x 265 mm
- 24 kg

7.615,00 € Panorama ______

ACCESSORIES

PELLET STOVES



Pellet Tank

- Device measurements (W x D x H)
- Capacity

- 400 x 600 x 850-910 mm
- 55 kg

2.260,00 €

Other

| Flexible, heat-insulated aluminum tube for heat channeling (d = 80 mm) | 40,00€ |
|--|----------|
| System for adjacent-room heating (only for regular pellet stove) | 685,00€ |
| WiFi module for mobile app and remote maintenance | 184,00 € |

HEATING STOVES

- · High efficiency combustion chamber
- Connection for external air intake
- Oven on right or left side (device with oven)
- Oven with double-pane glass door and internal light (device with oven)
- Baking tray and grid telescopic pull-out (device with oven)
- Fire door with triple self-cleaning glass
- Satin-finished steel or glass-ceramic hob

- AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-adjustable from850 910 mm
- Pump control
- Self-closing drawer with integrated baseboard



60 Heating stove

- Device measurements(W x D x H)
- Nominal heating output
- 600 x 600 x 850-910 mm

5.655,00 € Panorama



80 Heating stove

- Device measurements(W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 800 x 600 x 850-910 mm
- 14.0 kW
- 260 x 420 x 265 mm

6.280,00 € Panorama



90 Heating stove

- Device measurements(W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 900 x 600 x 850-910 mm
- 14,0kW
- 345 x 420 x 265 mm

6.435,00 €



100 Heating stove

- Device measurements(W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.000 x 600 x 850-910 mm
- 14,0 kW
- 445 x 420 x 265 mm

6.580,00 € Panorama

PLUS

HEATING STOVES

- · High efficiency combustion chamber
- Adjustable grill (summer and winter mode)
- Connection for external air intake
- Oven on right or left side
- Oven with double-pane glass door and internal light
- Baking tray and grid telescopic pull-out
- Fire door with triple self-cleaning glass

- Satin-finished steel or glass-ceramic hob
- AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-adjustable from850 910 mm
- Pump control
- Self-closing drawer with integrated baseboard



80 PLUS Heating stove

- Device measurements(W x D x H)
- Nominal heating output
- Maximalheating output
- Oven measurements (W x D x H)
- 800 x 600 x 850-910 mm
- 14,9 kW
- 21,0 kW
- 245 x 420 x 265 mm

6.740,00 € Panorama



90 PLUS Heating stove

- Device measurements(W x D x H)
- Nominal heating output
- Maximalheating output
- Oven measurements (W x D x H)
- 900 x 600 x 850-910 mm
- 14,9 kW
- 21,0 kW
- 345 x 420 x 265 mm

Panorama 6.895,00 €



100 PLUS Heating stove

- Device measurements(W x D x H)
- Nominal heating output
- Maximalheating output
- Oven measurements (W x D x H)
- 1.000 x 600 x 850-910 mm
- 14,9 kW
- 21,0 kW
- 445x 420 x 265 mm

Panorama 7.040,00 €

REVERSE FLAME

HEATING STOVES

- Reverse flame combustion/ lower combustion gasification
- · Connection for external air intake
- · Oven on right or left side
- Oven with double-pane glass door and internal light
- Baking tray and grid telescopic pull-out
- Fire door with triple self-cleaning glass
- · Satin-finished steel or glass-ceramic hob

- · AIR SYSTEM fire protection
- Side panels in stainless steel, powder-coated (standard colours) or plastered
- Front railing
- Height-ajdustable from 850 910 mm
- Pump control
- · Self-closing drawer with integrated baseboard



80 Reverse flame heating stove

- Measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 800x 600 x 850-910 mm
- 10,6 kW
- 245 x 420 x 265 mm

Panorama 6.885,00 €



90 Reverse flame heating stove

- Measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 900 x 600 x 850-910 mm
- 10,6 kW
- 345 x 420 x 265 mm

Panorama 7.040,00 €



100 Reverse flame heating stove

- Device measurements (W x D x H)
- · Nominal heating output
- Oven measurements (W x D x H)
- 1.000 x 600 x 850-910 mm
- 10,6 kW
- 445 x 420 x 265 mm

Panorama 7.195,00 €

ACCESSORIES

HEATING STOVES



Thermokit RTP (PLUS and reverse flame)

- Pump
- Anti-condensation valve
- Thermal discharge
- Safety valve
- Check valve
- Membrane expansion tank

1.495,00€



Oven with swivel opening

Alternative to lateral opening no extra cost

Other

Differential temperature controller 258,00 €

PREFABRICATED STOVES

- · High efficiency combustion chamber
- · Connection for external air intake
- Oven on right or left side (device with oven)
- Oven with double-pane glass door incl. baking tray and grid (device with oven)
- · Satin-finished steel or glass-ceramic hob
- Front railing



60 Prefabricated stove • Device measurements (W x D x H) • 600 x 600 x 480 mm • Nominal heating output • 6,0 kW Trend 2.380,00 € Dekor 2.590,00 € Panorama 2.730,00 €



80 Prefabricated stove

| Device measurements (W x D x H) Nominal heating output Oven measurements (W x D x H) | 800 x 600 x 480 mm 8,0 kW 260 x 420 x 265 mm |
|--|--|
| Trend | 3.355,00 € |
| B . | 0.505.00.0 |

 Dekor
 3.565,00 €

 Panorama
 3.705,00 €



90 Prefabricated stove

- Device measurements (W x D x H)
- · Nominal heating output
- Oven measurements (W x D x H)
- 900 x 600 x 480 mm
- 8,0 kW
- 300 x 420 x 265 mm

| Trend | 3.510,00 € |
|----------|------------|
| Dekor | 3.715,00 € |
| Panorama | 3.860,00 € |



100 Prefabricated stove

- Device measurements (W x D x H)
- · Nominal heating output
- Oven measurements (W x D x H)
- 1.000 x 600 x 480 mm
- 8,0 kW
- 300 x 420 x 265 mm

| Trend | 3.790,00 € |
|----------|------------|
| Dekor | 4.000,00 € |
| Panorama | 4.140,00 € |

PREFABRICATED STOVES

- · High efficiency combustion chamber
- Connection for external air intake
- Oven on right or left side (device with oven)
- Oven with double-pane glass door incl. baking tray and grid (device with oven)
- Satin-finished steel or glass-ceramic hob
- Front railing



100 XL Prefabricated stove

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.000 x 600 x 480 mm
- 8,0 kW
- 400 x 420 x 265 mm

| | • | , | |
|----------|---|---|------------|
| Trend | | | 3.660,00 € |
| Dekor | | | 3.870,00 € |
| Panorama | | | 4.010,00 € |



110 XL Prefabricated stove

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.100 x 600 x 480 mm
- 8,0 kW
- 500 x 420 x 265 mm

| • Over measurements (w x D x n) | 000 X 120 X 200 11111 |
|---------------------------------|-----------------------|
| Trend | 3.815,00 € |
| Dekor | 4.025,00 € |
| Panorama | 4.165,00 € |

ACCESSORIES

FOR PREFABRICATED STOVES

THE PRECAST BASE WITH OR WITHOUT COVERING OF PLASTERING




| Self-closing drawer - Rectangular | |
|---|----------|
| 60 Prefabricated cooking stove | 697,00 € |
| 80/90/100/100XL/110XL Prefabricated cooking stove | 774,00 € |




| Self-closing drawer - Arched | |
|---|------------|
| 60 Prefabricated cooking stove | 1.096,00 € |
| 80/90/100/100XL/110XL Prefabricated cooking stove | 1.174,00 € |



| Self-closing drawer - Bevelled edge | |
|---|-----------|
| 60 Prefabricated cooking stove | _898,00 € |
| 80/90/100/100XL/110XL Prefabricated cooking stove | 974,00 € |




| | Base with drawer - Rectangular | |
|---|---------------------------------------|------------|
| | 60 Prefabricated cooking stove | 1.022,00 € |
| , | 80 Prefabricated cooking stove | 1.119,00 € |
| | 90 Prefabricated cooking stove | 1.166,00 € |
| | 100/100XL Prefabricated cooking stove | 1.213,00 € |
| | 110XL Prefabricated cooking stove | 1.260,00 € |
| | | |




| | Base with drawer - Arched | |
|---|---------------------------------------|------------|
| 1 | 60 Prefabricated cooking stove | 1.423,00 € |
| , | 80 Prefabricated cooking stove | 1.518,00 € |
| | 90 Prefabricated cooking stove | 1.565,00 € |
| | 100/100XL Prefabricated cooking stove | 1.612,00 € |
| | 110XL Prefabricated cooking stove | 1.659,00 € |

ACCESSORIES

FOR PREFABRICATED STOVES



| | Prefabricated base with drawer - bevelled version | |
|---|---|------------|
| | 60 Prefabricated cooking stove | 1.224,00 € |
| , | 80 Prefabricated cooking stove | 1.318,00 € |
| | 90 Prefabricated cooking stove | 1.365,00 € |
| | 100/100XL Prefabricated cooking stove | 1.413,00 € |
| | 110XL Prefabricated cooking stove | 1.455,00 € |



| 00€ |
|------|
| |
| 00 € |
| 00 € |
| 00 € |
| 00 € |
|) |



| Prefabricated arched base | |
|---------------------------------------|----------|
| 60 Prefabricated cooking stove | 498,00 € |
| 80 Prefabricated cooking stove | 537,00 € |
| 90 Prefabricated cooking stove | 574,00 € |
| 100/100XL Prefabricated cooking stove | 613,00 € |
| 110XL Prefabricated cooking stove | 655,00 € |

| Other | | | |
|---|------------|--|--|
| AIR SYSTEM fire protection for prefabricated stove (+5 cm) , per side | _338,00 € | | |
| Fitting of cusomer's tiles | 415,00 € | | |
| Prefabricated stove with masonry aesthetics | 1.069,00 € | | |
| Prefabricated stove with masonry aesthetics and finishing coat | 1.237,00 € | | |

AND ACCESSORIES

VINTAGE, PELLET AND PREFABRICATED KITCHENSTOVES ON REQUEST

One-time customization charge

To be applied only to the first adaptation of the standard frame 132,00 €



Seamless broadening of stove width

The device will be equipped with fixed base instead of a height-adjustable base.

One-time customization charge (to be applied): 132,00 €

on one side: "X1" or "X2" up to 100 mm 491,00 €

on both sides: "X1" and "X2" up to 100 mm 864,00 €



Modification of stove depth

The side panel is extended with a separate stainless steel strip.

One-time customization charge (to be applied): 132,00 €

"X" from 600 to 800 mm (stainless steel strips) 381,00 €

"X" from 600 to 800 mm - device free-standing on one side 491,00 €

"X" from 600 to 800 mm - device free-standing on two sides 600,00 €



Customized notch

One-time customization charge (to be applied): 132,00 €

Corner for the flue 128,00 €

"X" from 600 to 800 mm 381,00 €



Modification of frame width

One-time customization charge (to be applied): 132,00 €

"X" up to 400 mm 267,00 €
"X" up to 800 mm 406,00 €

"X" up to 1200 mm 539,00 €

AND ACCESSORIES



Cut-out for hob

| Cut-out for resting/ top-mounted hob | 112,00 € |
|--------------------------------------|----------|
| Cut-out for flush fitted hob | 372,00 € |



Adaptation back side

| One-time customization charge (to be applied): 132,00 € | |
|---|----------|
| "X" up to 400 mm | 267,00 € |
| "X" up to 800 mm | 406,00 € |
| "X" up to 1200 mm | 539 00 € |




Seamless adaptation front side

The device will be equipped with a fixed base instead of a height-adjustable base

One-time customization charge (to be applied): 132,00 €

Modification frame, side panel and base 491,00€



Side panel with sloping edge

The device will be equipped with fixed base instad of a height-adjustable base.

One-time customization charge (to be applied): 132,00 €

773,00 €



Corner frame

One-time customization charge (to be applied): 132,00 €

811,00€ Information on length of "X" on request

AND ACCESSORIES



Separate stainless steel corner closure

in combination with corner frame

355,00 €



Level stainless steel corner closure

in combination with corner frame

355,00 €




Frame angle

One-time customization charge (to be applied): 132,00 €

Increase of plate angle height up to 300 mm 117,00 €

Frame angle left and/or right up to 40 mm, per side 117,00 €



Frame edge modification

Frames with a 30 mm or 40 mm worktop and a R15 or R20 radius cannot be equipped with RH05 railing supports; in these cases, we recommend the use of the RH03 supports.

One-time customization charge (to be applied): 132,00 €

 Front-flush
 146,00 €

 Staged
 146,00 €

 Rounding R10, R15, R20
 146,00 €



Railing

Left and/or right, per side 115,00 €



Kitchen stove height

The device will be equipped with fixed base instead of a height-adjustable base.

"X" exceeding 910 mm 184,00 €

AND ACCESSORIES



Corpus and base height

The device will be equipped with fixed base instead of a height-adustable base. Not possible with pellet stoves

"X" exceeding 720 mm, base costumized hight 522,00 €



Back panel in stainless steel

| Bar for kitchen utensils | 120,00 € |
|-----------------------------------|----------|
| Kitchen stove width up to 750 mm | 439,00 € |
| Kitchen stove width up to 1000 mm | 510,00 € |



Back panel in stainless steel

| Bar for kitchen utensils | 133,00 € |
|--------------------------------------|----------|
| For combined monoblocs up to 1500 mm | 578,00 € |
| For combined monoblocs up to 2000 mm | 647,00 € |



Fire door with triple self-cleaning glass

Included with the Panorama version 352,00 €



Oven door with lateral opening

Included for kitchen stoves with heat exchanger 270,00 €



Telescopic guides with full extraction for oven

Included for the Ökoalpin kitchen stoves with oven at the bottom and kitchen stoves with heat exchanger.

For all kitchen stoves with oven - kitchen stove depth 600 mm (per pair) 83,00 €

AND ACCESSORIES



Oven light

Included for Ökoalpin kitchen stoves with oven at the bottom and kitchen stoves with heat exchanger.


Power connection required.

For all kitchen stoves with oven 151,00 €



Enameled baking tray

| H= 39 mm | 82,00 € |
|----------|---------|
| H= 79 mm | 99,00 € |



Baking grid

33,00 €



Baking stone


Baking stone/ pizza stone to use inside the oven

89,00 €



Pizza shovel

46,00 €



Steel or glass-ceramic hob (additional or substitution)

For Ökoalpin kitchen stoves, kitchen stoves with heat exchanger and prefabricated kitchen stoves.

"X" up to 600 mm 220,00 €

"X" over 600 mm 315,00 €



CAST IRON RINGS FOR STEEL HOB WITH DIAMETER OF 235 MM

Not available for glass-ceramic hob

58,00 €



Connection piece for smoke outlet on the top

For satin-finished steel hob or glass-ceramic hob

including adapter 175,00 €

AND ACCESSORIES



Stainless steel hob cover

93,00 €



ST35



Dècor selection

Included with the dècor version. More options on request.

Dècor RAL-coloured coated or powder-coated in standard colours (per unit) 47,00 €

Dècor ST04, ST21, ST31, ST35, ST37, ST41 (per unit) 105,00 €



Flexible, insulated connection pipe for external air supply


per meter 34,00 €



Smoke diversion valve

For ökoalpin 60 482,00 €

Tor Ökoalpin 60 1.025,00 €



Radiant wall

Can be used for kitchen stoves with the oven on either the right or the left side

Measurements (WxDxH): 900x207x975 mm (base version)

1.820,00 €



Cleaning cover

Stainless steel, 155x155 mm 88,00 €



Pressure monitor, pre-installed

Available in black or white 985,00 €

WORKTOP CLOSURE

PANELS AND SPACER STRIPS











49,00 € In stainless steel (per unit)

L-shaped worktop closure panel with front cover

In stainless steel (per unit) 75,00 €

U-shaped spacer strips with air slots

In stainless steel, width 25 - 50 mm (per unit) 109,00€

U-shaped spacer strips without air slots

In stainless steel, width 15 - 50 mm (per unit) 83,00 €

L-shaped spacer strip without air slots

In stainless steel, width 10 - 50 mm (per unit) 62,00 €

OPTIONALS

VINTAGE, PELLET AND PREFABRICATED KITCHENSTOVES ON REQUEST

| Other | |
|--|------------|
| Cladding with customer's tiles - side panel, per side | 459,00€ |
| Cladding with customer's tiles - vertical front section, per side | 222,00€ |
| Cladding with jointless, free-standing tile corner piece for furniture extensions, standard glaze, p | 530,00€ |
| Cladding with jointless, heat-retaining tiled wall, free-standing, standard glaze, per side | 790,00€ |
| Cladding with soapstone - side panel, per side | 780,00€ |
| Cladding with soapstone - vertical front section, per side | 420,00 € |
| Cladding with tiles - side panel, vertical front section and tile corner piece, per side | 824,00 € |
| Cladding with tiles - sides panel, per side | 680,00 € |
| Cladding with tiles - vertical fornt section, per side | 320,00 € |
| Customized smoke outlet more than 200 mm from the rear edge (not applicable for the Ökoalpin BU kitc | 531,00€ |
| Customized smoke outlet up to 200 mm from the rear edge (not applicable for the Ökoalpin BU kitchen | 300,00€ |
| Design in nature steel (this material may have differences in structure and color) | 394,00 € |
| Fire-, ash-, Panorama or oven door powder-coated (F1, F2, F5, F6, F9) (package) | 198,00 € |
| Preparation for cladding with tiles - side panel, per side | 214,00 € |
| Preparation for cladding with tiles - vertical front section, per side | 130,00 € |
| Preparation for single-piece tiled wall for on-site fitting, per side | 214,00 € |
| Rear side with AIR SYSTEM fire protection for integration in kitchen island (dephth +20 mm) | 638,00 € |
| Special RAL-coloured powder coatings - vertical front section / side panel - front drawer | 394,00 € |
| Stainless steel water-heating container only for Ökoalpin 100 (with the Ökoalpin 80 oven) | 1.008,00 € |
| Steel plate 10 mm for 110 Ökoalpin, 110 Vintage and 110 prefabricated stove | 368,00 € |
| Steel plate 12 mm for 110 Ökoalpin, 110 Vintage and 110 prefabricated stove | 494,00 € |
| Steel plate graphite painted (Warning: not scratch-proof) | 147,00 € |
| Version cooking island, rear side in sight (depth +20 mm) | 638,00 € |

PROFESSIONAL STOVES

- High efficiency combustion chamber
- Connection for external air intake
- Oven on right or left side
- Oven with or without double-pane glass door, incl. baking tray and grid
- Satin-finished steel hob 15 mm

- AIR SYSTEM fire protection
- Side panels in stainless steel
- Front railing
- Customized height
- Self-closing drawer with integrated baseboard



1100 Professional

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.100 x 800 x auf Maß
- 10.0 kW
- 450 x 620 x 265 mm

| | ` | , | | |
|----------|---|---|------|----------------|
| Trend | | | | 8.465,00 € |
| Dekor | | | | 8.775,00 € |
| Panorama | | | | 8.815,00 € |



1300 Professional

- Device measurements (W x D x H)
- Nominal heating output
- Oven measurements (W x D x H)
- 1.300 x 800 x auf Maß
- 10,0 kW
- 550x 620 x 265 mm


| Trend | 8.945,00 € |
|----------|------------|
| Dekor | 9.255,00 € |
| Panorama | 9.295,00 € |

ACCESSORIES

PROFESSIONAL STOVES

| Bar for kitchen utensils | 135,00€ |
|--|------------|
| Cast iron rings for professional kitchen stoves, or steel hob-with thickness of more than 10 mm | 160,00 € |
| Connection piece for smoke outlet on the top | 174,00 € |
| Free-standing professional kitchen stove (depth to be increased by 50 mm), includes railing on all 4 | 956,00 € |
| Heat exchanger for hot water production | 3.240,00 € |
| Increase of frame depth of more than 800 mm, per 100 mm depth/per each meter width | 184,00 € |
| Rectangular railing for professional kitchen stoves, per meter | 180,00€ |
| Stainless steel back panel, per sqm | 767,00 € |
| Stainless steel baking grid for 1100 Professional, Measures : 431x590 mm | 122,00 € |
| Stainless steel baking grid for 1300 Professional, Measures: 531x590 mm | 134,00 € |
| Stainless steel baking tray for 1100 Professional, Measures : 431x590x39 mm | 167,00€ |
| Stainless steel baking tray for 1300 Professional, Measures : 531x590x39 mm | 188,00€ |


IN STAINLESS STEEL OR POWDER-COATED STANDARD COLOURS INCLUDING WORKTOP AND BASE FURTHER CABINETS ON REQUEST: COLUMNS, WALL CABINETS, SLIDING DOORS



Equipment extension for oven and resting/ top-mounted hob

- · Built-in appliances not included in price
- Brand and model details/ measurements are required for accurate installation

| Surcharge cut- for flush-fitted hob | 260,00 € |
|-------------------------------------|------------|
| Width 650 mm | 1.255,00 € |
| Width 800 mm | 1.545,00 € |
| Width 950 mm | 1.835,00 € |




Cabinet with 1 drawer

| Bottle insert for cabinet with 1 drawer, width 300 mm | 285,00 € |
|---|------------|
| Width 300 mm | 1.485,00 € |
| Width 600 mm | 1.610,00€ |



Cabinet with 2 drawers

| Width 300 mm | 1.610,00 € |
|---------------|------------|
| Width 600 mm | 1.835,00 € |
| Width 900 mm | 2.150,00 € |
| Width 1200 mm | 2.460,00 € |




Cabinet with 3 drawers


| Width 300 mm | 2.010,00 € |
|---------------|------------|
| Width 600 mm | 2.280,00 € |
| Width 900 mm | 2.690,00 € |
| Width 1200 mm | 3.095,00 € |




| Cabinet with 4 drawers | |
|------------------------|------------|
| Width 300 mm | 2.415,00 € |
| Width 600 mm | 2.730,00 € |
| Width 900 mm | 3.230,00 € |
| Width 1200 mm | 3.730,00 € |




| Cabinet for kitchen appliances/ Cabinet with 1 door | |
|--|------------|
| Cabinet for dishwasher/fridge with front cover, width 600 mm | 640,00 € |
| Cabinet with 1 hinged door, width up to 300 mm | 1.105,00 € |
| Cabinet with 1 hinged door, width up to 600 mm | 1.235,00 € |
| | |




| Cabinet with 1 hinged door and 1 drawer | |
|---|------------|
| Width 300 mm | 1.510,00 € |
| Width 600 mm | 1.680,00 € |



| Cabinet with 2 hinged doors | |
|-----------------------------|------------|
| Width 900 mm | 1.660,00 € |
| Width 1200 mm | 1.790,00 € |
| | |





| Cabinet with 2 hinged doors and 2 drawers | |
|---|------------|
| Width 900 mm | 2.555,00 € |
| Width 1200 mm | 2.685,00 € |



Open cabinet with 2 compartments

| Width 600 mm | 1.070,00 € |
|---------------|------------|
| Width 900 mm | 1.245,00 € |
| Width 1200 mm | 1.415,00 € |






Cabinet for sink with 1 drawer

Sink to be provided by the customer. Installation and welding of the sink included in the price.

2.010,00 € With fixed cover, width up to 600 mm 2.145,00 €






Cabinet for sink with 1 hinged door

Sink to be provided by the customer. Installation and welding of the sink included in the price.


Width 600 mm 1.630,00 € With fixed cover, width 600 mm 1.770,00 €



Cabinet for double sinks with 2 drawers

Sink to be provided by the customer. Installation and welding of the sink included in the price.

Width up to 900 mm 2.720,00 € 3.035,00 € Width up to 1200 mm




Cabinet for double sinks with 1 drawer and fixed cover

Sink to be provided by the customer. Installation and welding of the sink included in the price.

Width up to 900 mm 2.450,00 €

Width up to 1200 mm 2.575,00 €



Cabinet for double sinks with 2 hinged doors


Sink to be provided by the customer.
Installation and welding of the sink included in the price.

Width up to 900 mm

2.230,00 €

Width up to 1200 mm

2.360,00 €



Cabinet for double sinks with 2 hinged doors and fixed cover

Sink to be provided by the customer.
Installation and welding of the sink included in the price.

Width up to 900 mm

2.505,00 €

Width up to 1200 mm


2.635,00 €

OPTIONALS

CABINETS


| Additional drawer for cabinet, width up to 1200 mm | 635,00€ |
|---|-----------|
| Additional drawer for cabinet, width up to 300 mm | 402,00€ |
| Additional drawer for cabinet, width up to 600 mm | 449,00€ |
| Additional drawer for cabinet, width up to 900 mm | 541,00€ |
| Additional hinged door for cabinet, width up to max. 600 mm | 298,00€ |
| Conection cover / panel between cabinets | 100,00€ |
| Cut-out for flush-fitted hob | 372,00€ |
| Cut-out for resting/ top-mounted hob | 112,00€ |
| Double flush sink, welding included, measures (BxTxH): 840x400x215 mm | 2.225,00€ |
| Flush sink, welding included, measures (BxTxH): 340x400x215 mm | 1.120,00€ |
| Flush sink, welding included, measures (BxTxH): 400x400x215 mm | 1.145,00€ |
| Flush sink, welding included, measures (BxTxH): 500x400x215 mm | 1.175,00€ |
| Flush sink, welding included, measures (BxTxH): 700x400x215 mm | 1.225,00€ |
| Flush sink, welding included, measures (BxTxH): 800x400x215 mm | 1.250,00€ |
| Height-adjustable shelf, width up to 1200 mm | 224,00€ |
| Height-adjustable shelf, width up to 600 mm | 131,00€ |
| Height-adjustable shelf, width up to 900 mm | 178,00€ |
| Increase of cabinet depth in excess of 800 mm, per 100 mm, per unit | 190,00€ |
| Side panel for free-standing cabinets, per side | 219,00€ |
| Surcharge for handleless doors or drawer, per unit | 59,00€ |
| Welding/ installation of double sink or sink with drain (sink to be provided by the customer) | 572,00€ |
| Welding/ installation of sink with one basin (sink to be provided by the customer) | 398,00€ |

TAILOR-MADE STOVES




Tailor-made stoves without oven

Width starting from 400 mm starting from 3.855,00 €




Angular-tailor-made stoves without oven

Thigh dimension starting from 850x850 mm starting from 4.830,00 €




Angular-tailor-made stoves with oven

Thigh dimension starting from 1120x1120 mm starting from 6.325,00 €



Single-angle tailor-made stoves without oven

Front width starting from 380 mm starting from 4.790,00 €



Single-angle tailor-made stoves with oven

Front width starting from 750 mm starting from 5.955,00 €

COMPONENTS


FOR STOVES

STEEL HOBS

- Satin-finished steel hob
- With one ring d=235 mm and expansion gaps
- Position of the ring selectable (measure X,Y)

SURCHARGES


Round gasket (ceramic), per mt: 11,60 € Rings, d= 235/280/320 mm: starting from 58,00 € Milling of the steel hob: 555,00 €



Satin-finished steel hob 8, 10, 12, 15, 20 mm

to size, per cm2 starting from 0,14 €

HIGH EFFICIENCY COMBUSTION CHAMBER CERTIFIED




Trend version completely with combustion chamber

Surcharge Dècor selection, per unit: 105,00 €

1.658,00 €

OVENS

Surcharge Dècor selection, per unit: 105,00 €



Oven with removable maintainence bottom


Mounting brackets adjustable

with double-pane glass and thermometer

incl. baking tray and grid

Standard measurements: Oven width inside (B): 262, 304, 347 or 447 mm Overall width (X): 396, 438, 481 or 581 mm

1.041,00 €



Prefabricated gas pass system

incl. oven with removable maintainence bottom

1.862,00 €

EXTRACTOR HOODS



| 2.054,00 € |
|------------|
| 2.172,00 € |
| 2.290,00 € |
| 2.412,00 € |
| 2.530,00 € |
| |



| Lille | |
|---------------------|------------|
| Width up to 900 mm | 1.881,00 € |
| Width up to 1250 mm | 1.993,00 € |
| Width up to 1550 mm | 2.104,00 € |
| Width up to 1850 mm | 2.239,00 € |
| Width up to 2150 mm | 2.351,00 € |
| | |



| Classic | |
|---------------------|------------|
| Width up to 900 mm | 1.881,00 € |
| Width up to 1250 mm | 1.993,00 € |
| Width up to 1550 mm | 2.104,00 € |
| Width up to 1850 mm | 2.239,00 € |
| Width up to 2150 mm | 2.351,00 € |



| Camino | |
|---------------------|------------|
| Width up to 900 mm | 1.881,00 € |
| Width up to 1250 mm | 1.993,00 € |
| Width up to 1550 mm | 2.104,00 € |
| Width up to 1850 mm | 2.239,00 € |
| Width up to 2150 mm | 2.351,00 € |
| | |



| Sky | |
|---------|------------|
| 900 mm | 2.357,00 € |
| 1200 mm | 2.508,00 € |
| 1500 mm | 2.781,00 € |
| 1800 mm | 3.056,00 € |
| 2100 mm | 3.324,00 € |

EXTRACTOR HOODS



Sky Incasso

| 900 mm | 1.836,00 € |
|---------|------------|
| 1200 mm | 2.010,00 € |
| 1500 mm | 2.182,00 € |
| 1800 mm | 2.362,00 € |
| 2100 mm | 2.541,00 € |



Evo Incasso

Width from 2950 mm up to 3150 mm

| 531 mm | 581,00 € |
|---------|----------|
| 776 mm | 615,00 € |
| 1053 mm | 722,00 € |



Professional Wall Width from 850 mm 2.357,00 € Width from 1200 mm 2.535,00 € Width from 1550 mm 3.285,00 € 3.464,00 € Width from 1900 mm Width from 2250 mm 3.660,00 € Width from 2600 mm 3.851,00 €

4.046,00 €

REMOTE MOTORS



Built-In motor

1.051,00 €



External extractions

1.859,00 €

OPTIONALS

EXTRACTOR HOODS

| Active carbon filter | 44,00 € |
|--|----------|
| Additional exhaust pipe | 415,00€ |
| Customized front section | 172,00€ |
| Cut-out for chimney flue of the kitchen stove | 340,00€ |
| Exhaust pipe not centered | 348,00€ |
| Fixed position chimney cover | 120,00€ |
| Insert powder-coated special RAL (model Line) | 393,00 € |
| Insert powder-coated standard colours (model Line) | 112,00€ |
| Powder-coated (standard colours) extractor hood (model Classic and Camino) | 224,00€ |
| Powder-coated special RAL extractor hood (model Classic and Camino) | 393,00€ |
| Remote control for extractor hood | 66,00€ |

OVENS



60 SIEMENS - 7 types of heating

Telescope guide rail: 198,00 €

919,00€



60 SIEMENS - 13 types of heating

1.493,00 €



90 SIEMENS - 10 types of heating


2.022,00 €

HOBS



60 SIEMENS ELECTRIC HOB

609,00€ Flat frame design



60 SIEMENS ELECTRIC HOB

Flush fitted design 737,00 €

HOBS



60 SIEMENS INDUCTION HOB

1.237,00 € Flat frame design




60 SIEMENS INDUCTION HOB

Flush-fitted design 1.237,00 €



80 SIEMENS ELECTRIC HOB

1.094,00 € Flat frame design



80 SIEMENS ELECTRIC HOB

Flush fitted design 1.094,00 €



80 SIEMENS INDUCTION HOB

1.576,00 € Flat frame design



80 SIEMENS INDUCTION HOB

Flush-fitted design 1.576,00 €

FLUE PIPES

2MM, MALE END



Flue pipe 1000 mm Diameter 120 mm 59,00 € Diameter 150 mm 62,00 € Flue pipe 500 mm Diameter 120 mm 42,50 € 45,00 € Diameter 150 mm Flue pipe 250 mm 32,00 € Diameter 120 mm Diameter 150 mm 34,00 € Flue pipe 0-90° bend, adjustable with door 59,50 € Diameter 120 mm Diameter 150 mm 63,50 € Flue pipe 0-45° bend, rotatable without door Diameter 120 mm 52,00 € Diameter 150 mm 54,50 € Flue pipe 90° bend with door Diameter 120 mm 57,50 € Diameter 150 mm 61,50 € Flue pipe 45° bend with door





Diameter 120 mm

Diameter 150 mm



| Flue pipe with valve, length of 250 mm | |
|--|---------|
| Diameter 120 mm | 55,00 € |
| Diameter 150 mm | 56,50 € |

51,00 €

54,00 €

FLUE PIPES

2MM, MALE END







| Standard trim ring | |
|--------------------|---------|
| Diameter 150 mm | 22,00 € |
| Diameter 120 mm | 22,00 € |



18,50 € Diameter 150 mm



| Bracket for smoke pipe | |
|---|---------|
| Pipe clamp with grup screw and hanger bolt, d= 120 mm | 27,50 € |
| Pipe clamp with grup screw and hanger bolt, d= 150 mm | 31,50 € |

FLUE PIPES

FOR PELLET STOVES



Flue pipe 1000 mm

Diameter 80 mm 59,00 €



Flue pipe 500 mm

Diameter 80 mm 42,00 €



Flue pipe 250 mm

26,50 € Diameter 80 mm



Flue pipe 45° bend

Ring diameter 80 mm

Diameter 80 mm 57,50 €



Flue pipe 90° bend with door

Diameter 80 mm 78,00€



Twin wall double socket adaptor

23,50 € Diameter 80 mm

22,00 €

CLEANING

AND MAINTENANCE PRODUCTS



| 2,40 € |
|---------|
| 2,40 € |
| 24,00 € |
| |



| P-Clean Plus | |
|----------------|---------|
| Single piece | 11,70 € |
| Pack of 6 pcs. | 70,00 € |



| P-Oil Protection | |
|------------------|---------|
| Single piece | 7,40 € |
| Pack of 10 pcs. | 74,00 € |



| P-Orange Degreaser | |
|--------------------|---------|
| Single piece | 7,40 € |
| Pack of 10 pcs. | 74,00 € |



| P-Protect Oxidation | |
|---------------------|----------|
| Single piece | 15,00 € |
| Pack of 12 pcs. | 180,00 € |

CLEANING

AND MAINTENANCE PRODUCTS

Pack of 10 pcs.



P-Shine Inox 8,20 € Single piece

82,00 €



P-Clean Stone Single piece 12,40 € Pack of 12 pcs. 148,00 €



| P-Vacuumr | |
|---|---------|
| Ash vacuum cleaner 800W - PROMOTION (net price) | 27,00 € |



| P-Eco Fire | |
|--|--------|
| Eco-wood wool igniter, pack of 48 pcs. | 5,00 € |

NOTES

GENERAL TERMS

AND CONDITIONS

ORDER ACCEPTANCE

Every order will be valid exclusively upon written confirmation by the Seller. These General Terms and Conditions are an integral part of the order.

DELIVERY TERMS

The Seller reserves the right, for any order accepted, to withdraw from the obligation of delivery, totally or partially, for reasons of force majeure or for other reasons outside the Seller's control and which render executing and fulfilling the order impossible. The Seller commits to respecting the agreed delivery terms. However, eventual delays in delivery do not entitle the Buyer to withdraw from the contract and to demand an alternative supply or any other form of compensation.

TRANSPORT

All prices must be considered ex-works. In the case of delivery by the Seller's staff and vehicles or if transport is arranged by the Seller, the price of transport and packaging will be charged and listed separately in the invoice. All prices for transport and packaging are to be considered as net prices.

DRAWINGS, SKETCHES, PROTOTYPES AND SAMPLES

Drawings, sketches, prototypes and samples cannot be copied, duplicated or made available to third parties without explicit written authorization and remain property of Pertinger Srl unless explicitly and separately invoiced and paid for.

Any defects or imperfections of the material, with precise indication of the causes, must be communicated to the Seller by registered mail within 8 days from the day of delivery. Small differences or discrepancies in the final product, such as finish, weight, quality and colours of the materials, might be possible given the artisan workmanship and, in any case, do not entitle the Buyer to a claim as long as the Seller's quality standards are met. Requests for damage compensation are excluded. Product warranty is governed by current laws and regulations. The local dealer commits to repair all appliances and carry out the work under warranty; related costs are covered by the Seller only with previous explicit and written authorization.

PRELIMINARY AND/OR ACCESSORY WORK

The flue must meet existing regulations of the country of installation and must be tested by a qualified technician. All the adjacent walls to the wood-burning oven must be made of fireproof material. Extra work such as: installation, electrical, building and any channeling are at the expense of the Buyer. Gas and electricity connections must be performed by dedicated professionals.

MODIFICATIONS

Work not planned or included in the order, successive modifications and additional transfers of fitters, requested by the Buyer, will be invoiced based on the cost of material and required labour.

PAYMENT

The Buyer completes all payments in a timely and complete way. If the payment terms and conditions are not respected, additional rates, such as administrative costs and interest for arrears, will be applied.

OWNERSHIP RESERVATION

All goods supplied remain the property of Pertinger Srl until they have been paid for in full. The risk and liability are transferred to the Buyer at the time of delivery. The Buyer recognizes full rights to the Seller to enter the locations where the goods are situated. If the right to reclaim property is exercised, all related costs will be charged to the Buyer. Any foreclosures must be promptly communicated.

ACCEPTANCE

The General Terms and Conditions as stated in this document become effective at the moment of the order acceptance and prevail, without any exception, any other General Buying Conditions of the Buyer.

APPLICABLE LAW AND JURISDICTION

The contract and the General Terms and Conditions are governed by the Italian law. Any dispute regarding the contract or these General Terms and Conditions, which cannot be settled amicably, shall be instituted in the Court of Bolzano. The Buyer and Pertinger Srl agree to submit to the jurisdiction of, and agree that venue is proper in, this court in any such legal action or proceeding.

VARIATIONS

HOB VARIATIONS:



Glass-ceramic hob



Satin-finished stainless steel with one ring with single circle



Satin-finished stainless steel with rings



Summer covering plate

OVEN VARIATIONS:



Oven door with glass



Oven door with glass and inside light



Oven door with decor



Lateral opening oven door

FIRE DOOR VERSION:



PANORAMA



TREND



DEKOR

DEKOR VERSION:



ST04





ST37





ST41

ST31

STANDARD COLOURS AND FINISHES



Satin-finished stainless steel



Rendered



Silver black F1



Grey brown F2



ST35

Absolute black F5



Burgundy F6



Sand F7



White F8



Anthracite F9

OPTIONAL:



Natural steel



Majolica or tiles



Soapstone



HANDLE AND HANDLERAIL VARIATIONS:











PERTINGER S.r.l.

Via Plattner, 2 • 39040 Varna BZ • Alto Adige • ITALY

T +39 0472 849525 • **F** +39 0472 849680 **E** info@pertinger.com • **W** pertinger.com

A company from

südtirol

